




Introduction

It is made of materials such as ABS and PS, with elegant external appearance and firm performance. Cover and bottom are combined by screws. The weight of plastic enclosure is the quarter of iron enclosure. So the finished products can be easily transported and installed. All the products are with anti-corrosion performance and good insulation performance.




Waterproof junction Box
→ Series LWBA&LWBT

Technical Specifications

Waterproof junction Box
→ Series LWBA&LWBT

- Standard: IEC60529
- Approval: CE, RoHS, HF test and IK test, ISO9001
- Protection degree: IP65/IP55
- Materials: ABS
- Ambient temperature (°C): -5~ +40, max. 95% c, humidity
- Storage temperature (°C): -40~+75


Examples of application



Examples of application



Installation Instructions



Product	Model	Holes Quantity/Sizes (mm)	(P)L*W*H (mm)	QTY/CTN	(C)W*H*D (mm)
	LWBT5050	4/25	50x50	300	370x440x460
	LWBT8050	4/25	80x50	240	445x530x490
	LWBT858550	7/25	85x85x50	200	710x445x270
	LWBT10010070	7/25	100x100x70	100	560x560x285
	LWBT15015070	7/25	150x150x70	60	645x365x400
	LWBT15011070	10/25	150x110x70	60	630x475x360
	LWBT20010070	8/25	200x100x70	60	630x420x360
	LWBT20015580	10/36	200x155x80	40	625x 410x405
	LWBT20020080	12/36	200x200x80	40	820x420x415
	LWBT25520080	12/36	250x200x80	40	805x520x405




Product	Model (W*H*D)	Holes Quantity/Sizes (mm)	(P)L*W*H (mm)	QTY/CTN	(C)W*H*D (mm)
	LWBT300250120	12/36	300x250x120	20	630x530x630
	LWBT400350120	16/36	400x350x120	10	720x415x610
	LWBA5050	4/25	50x50	300	375x445x460
	LWBA8050	4/25	80x50	240	450x535x490
	LWBA858550	7/25	85x85x50	200	715x450x270
	LWBA10010070	7/25	100x100x70	100	565x565x285
	LWBA15015070	7/25	150x150x70	60	630x370x400
	LWBA15011070	10/25	150x110x70	60	635x480x360
	LWBA20010070	8/25	200x100x70	60	635x425x360
	LWBA20015580	10/36	200x155x80	40	630x415x405

Product	Model (W*H*D)	Holes Quantity/Sizes (mm)	(P)L*W*H (mm)	QTY/CTN	(C)W*H*D (mm)
	LWBA20020080	12/36	200x200x80	40	825x425x415
	LWBA25520080	12/36	250x200x80	40	810x525x405
	LWBA300250120	12/36	300x250x120	20	630x530x630
	LWBA400350120	16/36	400x350x120	10	720x415x610

Outline and installation dimensions



LWBA



LWBT

